

The **Magicfloor Standard55** flooring tiles offer a variety of design solutions with their several wooden patterns not only for commercial applications but also for home installations, as well. Easy installation, low cleaning and maintenance costs both contribute to the longevity of this flooring type. The Standard55 selection transforms the different shades into an active design providing therefore an ideal green solution for both commercial and residential interiors, too.

Specification according to EN 649


Characteristics	Standard	Unit	Result
Type of flooring	EN 649		synthetic floor covering with PUR heterogeneous, fiberglass reinforced
Plastics basis			Polyvinylchloride
Surface			different embossings

Safety Criteria

Flammability	EN 13501-1	class	B _n - s1
Slip resistance	BGR 181	group	R 9
Dynamic coefficient of friction	EN 13893	class	DS
Impact sound reduction	ISO 140-8	dB	9

General properties

			wood	stone	mammut
Tiles: side length	EN 427	cm	91,4 x 15,2	45,7 x 45,7	122 x 30,5
Overall thickness	EN 428	mm	2.50		
Thickness of wear layer	EN 685	mm	0,55		
Total weight	EN 430	g / m ²	4000		
Residual indentation	EN 433	mm	app. 0.04		
Colour fastness	ISO 105-B02	rating	≥ 6		
Wear group	EN 649		T		
Vertical resistance	EN 1081	Ohm	-		
Electrical insulation to ground	VDE 0100	kOhm	> 200		
Static electrical charge	EN 1815	kV	app. 2.0(antistatic)		
Thermal resistance	EN 12667	m ² K / W	0.070		
Thermal conductivity	EN 12524	W/ m K	0.25		
Furniture leg	EN 424		No damage		
Castor chair	EN425		No damage		
Chemical resistance	EN 423		High resistance		





00102 Oak Classic



00402 Flow Grey



3902 Pine Natural Light



00304 Line Brown



07096 Burnt Wood



6002 Pine Rustic Brown



54613 - Chalky Cream



10101 Stripy Grey



6005 Pine Rustic Black



00321 Chalky Grey



10102 Stripy Cream



6090 Shadow Light Brown

VINYL FLOORS



6217 Pine Natural Dark



63889 Zebrano Red Brown



70792 Lord Brown



6387-5 Choco Dark



63937 Western Grey



70793 Lord Grey



63881 zebrano cream



63949 Maple



7172 American Walnut



63882 Zebrano Grey



63957 Coal



VINYL FLOORS

